Application for RVSM Approval (Airworthiness & Operational Approval Conformance Document) 1. Applicant / Operator Name Address Tel **Fax** Contact person AOC No. 2. Aircraft Aircraft Type Aircraft S/N **Aircraft** registration Mode S **Address** PART 1 Airworthiness 3. Airworthiness 3.1 The approval of RVSM systems installation is based on: FAA STC EASA STC Type design **Service Bulletin** Other (Specify) \square 3.2 The RVSM type design approval is reflected in: **REMARKS** Type Certificate/ Type Yes No \square **Certificate Data sheet** No \square AFM/ AFM supplement Yes \square Supplement type certificate Yes No \square **Service Bulletin** Yes No 🗌 Other (specify) Yes No 🗌 3.3 Approval basis for RVSM FAA AC 91-85 (91-RVSM) Yes No 🗌 **Annex to ED Decision** Yes No 🗌 2012/019/R or JAA TGL 6 Yes 🗌 No \square Other (specify) 3.4 Aircraft Definition Group aeroplane Yes No 🗌 Non Group aeroplane Yes □ No 3.5 Aircraft equipments for RVSM operations:

Form: ALD/AIR/F117 Rev. 7 (04/11/21) Page 1 of 6

		Make	Mode	el	
Two Independent Altitude	No. 1				
measurement system	No. 2				
CCD two non on don	NO. Z				
SSR transponder					
Altitude alert system	m				
Automatic altitude control syste ACAS II System	Ш				
(with Change 7/7A as applicable	e)				
3.6 Maintenance program:					
The operator should have an e	stablished	maintenance program tha	t contains all related	S	U/S
maintenance requirements prescri					0,0
Existing maintenance Program of New Maintenance program requ		SM operations	Yes □ No □ Yes □ No □		
New Maintenance program requ	ineu		res 🗀 No 🗀		
The operator has to submit the rep	ort of last	Air Data System check perform	rmed.		
Performance: Satisfactory/ Unsat	isfactory	Date of test			
3.7 MEL:					
on rada.					
The applicant has revise relevant	parts of t	he MEL to reflect system red	quirements appropriate		
for RVSM operations	4-2		V N- N-		
Existing MEL covers requirement Revision of MEL required?	its?		Yes □ No □ Yes □ No □		
Revision of MEL requireu:			Tes L NO L		
		enance practices		S	U/S
The applicant must establish pro					
following subjects (Applicant show 4.1 Maintenance of RVSM					
instructions)	<u>equipmen</u>	t (adherence to manufac	cturer's maintenance		
Ref:					
4.2 Actions for non compliant aer		0 0	<u> entries – placarding -</u>		
monitoring of defects - reliability Ref:	<u>reporting</u>	<u>g - etcj</u>			
IXEI.					
4.3 Maintenance training (Initial-recurrent-qualification of maintenance personnel, etc)					
Ref:					
4.4 Test equipment used (use of test equipment-handling-calibration, etc)					
Ref:					
5. Height monitoring 5.1 Operator procedure to monitor appropriate number of aircraft in the fleet reflected in					

Form: ALD/AIR/F117 Rev. 7 (04/11/21) Page 2 of 6

Ref:			
5.2 Aircraft has been monitored by HMU/GMU? Yes	No □		
	" "		
			1
Part 2 Operation			
6.1 Operation Manual	Manual ref.	S	U/S
Does the Operations Manual Part A has RVSM section?			
Yes No No			
Does the Operation Manual refers to the Standard ATC-Phraseology with regard to			
RVSM-Operation and the use of the respective wording is explained?			
Yes No No			
Does the Operation Manual refers to the Equipment : that must be checked			
"operational" <u>prior entering RVSM-Airspace?</u> :			
- Two independent altitude measurement systems;			
- One altitude alerting system;			
- One automatic altitude control system;			
- One altitude reporting SSR-Transponder, coupled to that altitude measuring			
system, that is in operation for altitude keeping.			
Yes No Note: The List of circumstances that affects RVSM-capability of an aeroplane, shall contain at least the			
following:			
a) Failure of all automatic altitude-control systems			
b) Loss of redundancy of altimetry system c) Loss of engine-thrust requiring to descend			
d) Any failure of equipment affecting the ability to maintain cleared flight level			
e) Heavy turbulence affecting the altitude-keeping capability of the aircraft			
Does the Operation manual contains the regional operational procedures			
including normal-and contingency procedures, covering the operator's whole area			
of operation as specified on the AOC?			
• Europe (EUR)			
North Atlantic (NAT)			
Western Atlantic Route System (WATRS)			
Northern Canadian Airspace (NAM)			
Pacific Region (ASIA /PAC)			
• Middle East (MID)			
Yes No No			
6.2 Training			
Does the RVSM-Training correctly integrated?			
Yes □ No □			
The RVSM-Training Module must contain comprehensive instruction of basic			
knowledge and operational procedures to get familiar with all aspects of			
operations within RVSM-Airspace.			
Yes No Selight Planning			
6.3 Flight Planning For PVCM apparations instruction must be previded to the flight grow to review			
For RVSM operations, instruction must be provided to the flight crew to review			
and verify the aircraft technical status reflected in the Tec log, to consult the airplanes Hold Item List (HIL), to verify the airplane dispatch status using the			
Minimum Equipment List (MEL) concerning RVSM-operation and en-route			
1		i	

Form: ALD/AIR/F117 Rev. 7 (04/11/21) Page 3 of 6

Ministry of Transportation and Telecommunications





weather forecast for the detection of areas with heavy turbulence on the intended			
route.			
Yes No C	Manual ref.	S	U/S
Is there a procedure established and appropriately described, what equipment	Manual Fel.	3	0/3
required for the operation in RVSM-Airspace has to be checked operational			
before entering RVSM-Airspace?			
Yes No No			
For RVSM operations, instruction must be provided to the flight crew to review			
and verify the aircraft technical status reflected in the Techlog, to consult the			Ī
aeroplanes Hold Item List (HIL), to verify the aeroplane dispatch status using the			ı
Minimum Equipment List (MEL)			İ
Yes No No			
Aircraft External-Inspection: It shall be stated, that the external inspection			İ
procedure of the aeroplane shall focus on the skin-condition of the fuselage in the			İ
surrounding of the static sources and the condition of the static sources itself.			İ
Yes No The external inspection procedure shall contain all relevant equipment such as all			
static-ports, especially the condition of the fuselage skin around the static-ports.			Ī
Yes No			Ī
The equipment relevant for RVSM-Operations must be checked operational			·
Yes No No			Ī
6.5 Flight-Deck-Preparation:			
Instruction shall be provided for a comparison check between the indication of			Ī
the two primary altimeters to be within a tolerance of 75 ft for RVSM-Operation. Yes No			Ī
6.6 In-Flight			
Altimeter setting procedures must be observed and respective crosschecks shall			
be performed in hourly intervals.			İ
Altitude comparison-checks during level-flight shall be stated to be within ± 200			İ
ft.			İ
Yes No			
Procedures to monitor the airplane's level-off maneuver and system capability at an assigned flight-level while using the automatic altitude-control system and the			Ī
autopilot function.			Ī
Yes No No			Ī
Monitoring procedures shall be described, ensuring that the altitude-alerting			
system is operative.			İ
Yes No No			
Notification to the competent Air Traffic Control Centre about the loss of RVSM-			Ī
capability by applying the respective phraseology			İ
Yes No C			
Any malfunction affecting the RVSM-capability of the airplane, shall be recorded			
in detail in the Tech-log-System			
Yes □ No □			
6.8 Reporting			
For altitude deviations during RVSM-Operations, height keeping errors, at least			
the following shall be stated to be reported:			Ì

Total vertical error of ±300 ft Altimeter system error of ±245 ft Deviation from assigned altitude of ± 300 ft During transition phase, overshooting or undershooting of a cleared flight level of more than 150 ft The loss of RVSM-capability The application of any contingency procedure Any malfunction in the automatic height-keeping system; Any malfunction in the altimetry system; Any deficiency affecting the redundancy within the altitude measurement					
system. Yes No No					
Documents to be submitted					
Description	Appl.	Not A	ppl.		
a) The current BCAA conformance report filled in					
b) Sections of AFM-Type certificate-SB etc that document RVSM approval					
c) Service bulletin-STC-or Major modification approval					
d) Maintenance program that include items pertinent of RVSM equipment					
e) MEL					
f) Maintenance practices and procedures manual					
g) Procedures for down grading ,upgrading ,technical log entries, monitoring etc					
h) Maintenance training syllabi					
i) Test equipment used, calibration					
j) Height Monitoring result					
k) Report of last Air-data System test					
l) Appropriate sections of Operation Manual covering Par 6.1 to 6.8					
m) HMU/GMU report					
7. Applicant Compliance statement					
I hereby declare that all documentation and information submitted have been verified and found in compliance with Regulation, its Implementing Rules and all other applicable requirements/procedures.					
<u>Maintenance Manager</u>					
Signaturo					
Signature: Flight Operation Manager					
Tugut operation Manager					
Signature:					
Quality Manager					
					
Signature:					
<u>Date</u>					

Form: ALD/AIR/F117 Rev. 7 (04/11/21) Page 5 of 6

FOR BCAA USE ONLY BCAA RVSM APPROVAL Comments	APPROVED	NOT APPROVED □	
Authorised Signature:	Stamp:	Date:	

Form: ALD/AIR/F117 Rev. 7 (04/11/21) Page 6 of 6